

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	1	"20020138244"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/05 14:51
L12	0	(IP adj core) with obfuscat\$4 same (simulat\$4 model\$4 design\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/05 15:00
L13	12	((IP adj core) hdl vhdl verilog hardware) with obfuscat\$4 same (simulat\$4 model\$4 design\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/05 14:53
L14	0	(IP adj core) with ((add\$3 appl\$4) with (encrypt\$4 obfuscat\$4)) same (simulat\$4 model\$4 design\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/05 15:02
L15	0	(IP adj core) same ((add\$3 appl\$4) with (encrypt\$4 obfuscat\$4)) same (simulat\$4 model\$4 design\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/05 15:02
L16	145	((IP adj core) hdl vhdl verilog hardware FPGA PLD) same ((add\$3 appl\$4) with (encrypt\$4 obfuscat\$4)) same (simulat\$4 model\$4 design\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/05 15:05
L17	8	((IP adj core) hdl vhdl verilog hardware FPGA PLD) same ((add\$3 appl\$4) with (obfuscat\$4)) same (simulat\$4 model\$4 design\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/05 15:03
L18	10	("5,381,347") or ("5,646,651") or ("5,731,811") or ("5,825,879") or ("5,881,287") or ("5,936,616") or ("5,961,617") or ("6,209,103") or ("6,298,446") or ("6353,892")).PN.	USPAT; USOCR	OR	OFF	2008/01/05 15:06
L19	1	("7107567").PN.	USPAT; USOCR	OR	OFF	2008/01/05 15:16
L20	5	("20030188275" "20040088674" "20050071792" "6539525").PN. OR ("7107567").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/05 15:17

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

"IP core" "obfuscation" "simulation"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 44 for "**IP core**" "**obfuscation**" "**simulation**". (0.14 seconds)

[PDF] [Microsoft PowerPoint - cs6812_Seminar_3_JHDL.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Provides **simulation** and evaluation of circuits over the ... Changes to a proprietary bit stream enable the **IP core** to be hidden. from the user ...

www.arl.wustl.edu/~lockwood/class/cs6812/cs6812_Seminar_3_JHDL.pdf - [Similar pages](#)

[Electronic design protection circuit - US Patent 7107567](#)

Because the **simulation** version of an **IP core** must work with a variety of ... For example, during **obfuscation**, clues for understanding the model (for example ...

www.patentstorm.us/patents/7107567-description.html - 88k - [Cached](#) - [Similar pages](#)

[IP delivery for FPGAs using applets and JHDL - Design Automation ...](#)

class file **obfuscation** and class encryption may be added to. increase the security of the IP. ... **IP-core** analysis and **simulation**. In. Proceedings ...

ieeexplore.ieee.org/iel5/7910/21813/01012584.pdf - [Similar pages](#)

[PDF] [Cyber infrastructure](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

research supports software protection with **obfuscation** and ... The **IP core** protection problem in. this domain, analogous to software protection, ...

www.ece.iastate.edu/fileadmin/www.ece.iastate.edu/images/research_documents/cyber-infrastructure2007.pdf - [Similar pages](#)

[VHDL Issue Number: 2024 Language Version: VHDL-2002 Classification ...](#)

... code encryption or **obfuscation** should be built into the VHDL standard. ... part of our **IP core** deliverables to customers, we normally provide **simulation** ...

www.eda-stds.org/isac/IRs-VHDL-2002/IR2024.txt - 3k - [Cached](#) - [Similar pages](#)

[FPGA FAQ comp.arch.fpga archives - messages from 65600](#)

The design basically consists of a 3rd party **IP core**, for > which I don't have a source (I Thank you > Giuseppe Eschew **obfuscation**! Bob Article: 65619 ...

www.fpga-faq.com/archives/65600.html - 68k - [Cached](#) - [Similar pages](#)

[UCLA General Catalog 2007-08: Computer Science Course Listings](#)

Introduction to methods for modeling and **simulation** using interactive lower bounds on use of cryptographic primitives, software **obfuscation**. ...

www.registrar.ucla.edu/Catalog/catalog07-08-201.html - 93k - [Cached](#) - [Similar pages](#)

[VLSI CAD tool protection by birthmarking design solutions](#)

... tamper-proofing, and **obfuscation**—tools for software protection", ... "A Web-CAD Methodology for **IP-Core** Analysis and **Simulation**", DAC 00, pp. 597--600. ...

portal.acm.org/citation.cfm?id=1057661.1057743 - [Similar pages](#)

[Conference Papers](#)

Yu Yu, Jussipekka Leiwo & Benjamin Premkumar, "Program **Obfuscation** via J. Gu, C. H. Chang and K. S. Yeo, "An area and energy efficient **IP core** for ...

www.chipes.ntu.edu.sg/contents/library/ConferencePapers.htm - 104k - [Cached](#) - [Similar pages](#)

freshmeat.net: Releases announced Monday, November 06th 2006

Some of these include **obfuscation** of constants and a wildcard include / exclude and **IP core** based applications with implementations in C++ and VHDL. ...

freshmeat.net/daily/2006/11/06/skip_frontpage/ - 269k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)